



SPECIFICATIONS



PRODUCT DESCRIPTION

Accentuate your Lux Light Wall with the Lux Counter! A new counter design, the Lux is a pop up frame made for SEG fabric graphics. Choose 3 custom dye sub graphics: 1 front and 2 end caps. Backside remains open for included shelf and storage. Includes carry bag.

DISPLAY DIMENSION	39.25" W x 39.875" H x 13.38" D
GRAPHIC DIMENSIONS	39.25" W x 39.25" H
GRAPHIC END CAPS	13.38" W x 39.38" H

GRAPHIC MATERIAL

Stretch Fabric

GRAPHIC FINISHING

Silicone beading is sewn around the perimeter of the fabric graphic. Silicone beading is hidden from view once installed.

DISPLAY CONSTRUCTION

Aluminum Frame

SHIPPING WEIGHTS & DIMENSIONS

Shipping Weight	26 lbs (frame only) 28 lbs (with graphics)
Shipping Dimensions	44" W x 17" H x 6.5" D

LARGE QUANTITY FREIGHT

Freight Shipping	24 boxes per 48" L x 40" W x 74" H skids
Freight Weight	624 lbs (frame only) 672 lbs (with graphics)

GRAPHIC TURN AROUND TIME

2 business days after proof approval

AVAILABILITY	CA and PA
--------------	-----------


SHelf WEIGHT CAPACITY	35 lbs (Top Shelf) 25 lbs (Inside Shelf)
-----------------------	---




PART LIST



Qty 1 - Pop Up Frame




Qty 6 - 1 Section Channel Bars



Qty 4 - End Cap Channel Bars



Qty 1 - Clear Shelf



Qty 1 - Countertop




Qty 1 - Carry Bag

SET UP INSTRUCTIONS


Set Up Pop Up Frame



a. Place frame with the adjustable feet facing down.




b. Expand the frame.




c. Close frame by pushing the outside of the frame until male and female ends connect.

Insert Channel Bars



a. Attach channel bars to frame.



b. Slide channels bars onto frame, from top to bottom, then secure onto metal peg.



c. Attach the top and bottom endcaps on each side of the frame.

Install Graphic



a. In each corner, insert the silicone edge beading into the groove.




b. Then insert the remainder of the beading.




c. Repeat graphic installation on the end caps.


Install Countertop & Shelf



a. Locate the circular caps on top of the counter and locate the dovetails underneath the countertop.



b. Place the countertop on top of the counter by aligning the dovetails to the circular caps.



c. Place down the locking bars on each side of the counter.



d. Then place the clear shelf onto the locking bars.